

BC-MTM-65T5

65 INCH INTERACTIVE FLAT PANEL DISPLAY ANDROID 8.0 4+32G

Product Description

BLACK COPPER Interactive Flat Panel Display have exclusive conference system, support wireless transmission of computer screen, mobile phone equal wireless projection screen, perfect compatibility with a variety of third-party remote conference software. It integrates an 800W pixel camera and an array microphone with a pickup distance of 10 meters, 10-point infrared touch, whiteboard writing, annotation at will, meeting minutes swept away, 4K anti-glare hd picture quality, half-screen drop-down, smart pen adsorption and other humanized design.

Material: Aluminum Alloy Frame

Touch points: 20 Points

Resolution: 3840*2160(4K)

Back light unit: DLED

Responce Time: 8ms



Please choose the style you need or like.





☐ Meeting style

☐ Education style

Original Handwriting And Smart Touch

As natural as writing on paper, Experience not only silky smoothness but also intelligence







Please choose the style you need or like.





☐ Meeting style

☐ Education style

Original Handwriting And Smart Touch

As natural as writing on paper, Experience not only silky smoothness but also intelligence





Built-in 800W HD Camera

Teleconferencing, goodbyes to the business trip, and distant partners close at hand



Pick Up At 6M Distance

Array of microphones, smart filtering of conference room noise, Create a high-quality telephony experience.



4K Ultra HD Picture Quality

Super wide 178° viewing Angle No matter where you sit in the room, you can see it clearly



Newly upgraded Android 8.0 system

Powerful speed, bring unprecedented experience for the conference, easy to operate, can be easily controlled



1.Product parameters

Material	Aluminum alloy frame
Front frame glass	Physically toughened grade 7 explosion-proof glass, AG anti-glare treatment;
Machine size (mm)	1485.74 (L) *90.5 (W) *909.9 (H) including OPS thickness 97.7
Packing size (mm)	1640 (L) *215 (W) *1058 (H)
Product weight	Net Weight:39KG Gross Weight:49KG
Machine power	≤210W(OPS not included, support OPS power ≤100W)
Standby power	≤0.5W
Speaker	stereo sound, 2*15W high and low sound
Input voltage	100~240V 50/60Hz

2.System parameters

Solution	Hisilicon 811
CPU	Dual-core A73 and dual-core A53,quad-core 1.5GHz
GPU	Quad-core MaliG51
Memory	4G
Storage	32GB
System version	Android 8.0

3.Ports

Input port	VGA	1
	VGA Audio	1
	AV IN	1
	НДМІ	2
	Ypbpr IN	1
	MIC IN	1
Output port	Earphone	1
	SPDIF	1
	HDMI OUT	1
	RJ45/LAN	2 (Input port*1 Output port*1)
Other Ports Type	Touch USB	3
	Туре-с	1
	RS232	1

	USB2.0	1
	USB3.0	1
Front ports	HDMI IN	1
	USB 3.0	3
	Touch USB	1

4.Display parameters

Panel size	65 inch (16: 9)
Backlight type	D-LED
Display area	1428.5 (H) ×803.5 (V)
Resolution	3840 (H) ×2160 (V) (UHD)
Color degree	8bit, 1.07B
Brightness	center point: 300-350 cd/m²
Contrast ratio	≥1200: 1 (Typ.)
Viewing angle	178° (H) /178°(V)
Backlight life	> 35000 hours

5.Camera/MIC parameters

	800W pixels 4K resolution (3840*2160)
Camera	aperture angle of view of 102 degrees
	focusing method: fixed focus:light compensation;
	Equipped with echo cancellation, noise suppression; beamforming, sound
Microphone	source positioning;
	maximum sound pickup distance of 10 meters;

6.Touch parameters

Touch embedding method	Built-in integrated
Writing method	Finger touch pen other non-transparent objects >2.5mm
Touch points	20 points
Resolution	32767*32767
Accuracy	±1mm
finger response speed	< 8ms
Minimum recognition point diameter	2.5mm(supports 2.8mm double thin pen full-screen writing)
Driver	Automatically recognized, no driver

System	windows7/10, Android, Mac OS
Working temperature	-10~+50 ℃

7.Accessories

65 inch Interactive flat panel Display	1
Power cord	1 (1.5m)
Certificate of conformity	1
Warranty Card	1
Manual	1
Remote control	1
Wall mount	1
Touch pen	1
Wireless screen transmitter(option)	1
Smart PPT page turning pen(option)	1
HDMI(option)	1 (1.5m)