



BC-690

2D Omnidirectional Barcode Scanner

Quickly scan various barcodes

Support reader 1d&2d paper and screen barcode

Support multiple keyboard language

Support read small high-density barcode



Imaging



32 Bit



Screen



2D



Fast Scan



Buzzer



Shockproof



Button



System

High speed scan

32-bit CPU

CMOS image

1D/2D Omnidirectional scan

rotating scan head

22° Rotatable angle

Dual mode switching

Efficient mode/all code mode

Plug&play

Free drive,easy use

Beep reminder

Smart reminder,no missing code

Technical Specifications

Model

BC-690

Dimensions

94mm*100mm*152mm(L*W*H)

Weight

~265g

Input Voltage

5V DC \pm 10%

Current

335mA \pm 10%

Interface Supported

USB, RS232

Field of View

39°(H),29°(V)

Sensor Resolution

\geq 5mil

Image Sensor

CMOS

Sensor Resolution

640X480 Pixels

Light Source

Red LED

Scan speed

60fps

Temperature

-20°C-65°C

Humidity

5-90%

Shock Drop Test

1.5m

Ambient Light

0~80000LUX

Language

Multiple Languages

Decode Capability

1D: Codabar, Code 39, Code 32, Interleaved 2 of 5, NEC 2 of 5, Code 93, Straight 2 of 5 (Industrial), Standard 2 of 5 (IATA), Matrix 2 of 5, Code 11, Code 128, GS1-128, UPC-A, UPC-E, EAN-8, EAN-13, MSI Code, GS1 DataBar Expanded, GS1 DataBar Limited, GS1 DataBar Omnidirectional, Matrix 2 of 5, Telepen

2D: PDF417, QR code, DataMatrix, Aztec, China Post (Hong Kong 2 of 5), Korea Post, Han Xin code, MaxiCode, MicroPDF417, GS1 Composite Code, Codablock A, Codablock F

Min Resolution

1D: 0.127mm/5mil (PCS 0.9)